

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 09-Aug-04 10:03	FS — 10	BN 564 SL 2609/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3					
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s									
JC 0.40 FM 1.00 VM 1.00									
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30									
DL -38 UT -1 PK 1 TM-PEAK									
F1 500 F2 213 A1 999 A2 1035									
TS 12 TB 8.0					B PD: 11381 T1 9.6	2L/C 4.7	VA 1000	UE 1024	LP 0.00 ft LI 1.0

ACCEPT SQ-OFF FL-OFF PR-OFF

UMX= 5.7 FMX= 88 AMX= 199  
EMX= 0.5 MEX= 172 FUP= 1.00



contact Pile Dynamics USA  
with your questions  
tel USA - 216 - 831- 6131  
fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 11381

CALIBRATION FACTOR: 1035 G/V

PAK <#5000>: \_\_\_\_\_ DATE: 09-Aug-04

PDA OPERATOR: Fred Hussein

<-AT:PIEZORESISTIVE

OP: FRED [ver:4.051

AT:PIEZOELECTRIC->