

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 09-Aug-04 10:08	FS — 10	BN 574 SL 2609/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s				
JC 0.40 FM 1.00 UM 1.00				
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30	TS 12 B PD: 11385 LP 0.00 ft TB 8.0 T1 9.7 2L/C 4.7 UA 1000 UE 1024 LI 1.0			
DL -42 UT -1 PK 1 TM-PEAK				
F1 500 F2 213 A1 999 A2 1055				

ACCEPT SQ-OFF FL-OFF PR-OFF

VMX= 5.7 FMX= 87 AMX= 259
 EMX= 0.5 MEX= 170 FUP= 0.99



contact Pile Dynamics USA
 with your questions
 tel USA - 216 - 831- 6131
 fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 11385

CALIBRATION FACTOR: 1055 G/V

PAK (*5000): _____ DATE: 09-Aug-04

PDA OPERATOR: Fred Hussein

<-AT:PIEZORESISTIVE

OP: FRED [ver:4.05]

AT:PIEZOELECTRIC->