

QBTA: ON [ALT-F1/BB=60]

File Dynamics, Inc.

DPF

Pile Dynamics 09-Aug-11 14:23	FS — 10	BN 651 SL 3224/ 3440/ 99	PJ: sn PN: HOPBAR	TG F2 -- US A2 F2 3.3
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s  JC 0.40 FM 1.00 VM 1.00				
EA/C 30.3 Ks/ft UN <del>KIPS:0.1</del> FR 20000 MB 30  DL -31 UT -1 PK 1 TM-PEAK  F1 500 F2 213 A1 999 A2 1000				
TS 12 TB 8.0	B PD: 11417-060 T1 9.6 2L/C 4.7	UA 1000	LP 0.00 ft LI 1.0	

ACCEPT SQ-OFF FL-OFF PR-OFF



contact Pile Dynamics USA  
 with your questions  
 tel USA - 216 - 831- 6131  
 fax USA - 216 - 831- 0916

VMX= 4.0 FMX= 61 AMX= 139  
 EMX= 0.3 MEX= 119 FVP= 0.99

ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 11417  
 CALIBRATION FACTOR: 1000 G/V

PAK (\*5000) DATE: 09-AUG-11

PDA OPERATOR: *[Signature]*

<-AT:PIEZORESISTIVE

OP: alex [ver:4.05]

AT:PIEZOELECTRIC->