

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics
 2018-05-31 10:23
 LE 17.0 ft
 AR 1.7 in2
 EM 30000 Ksi
 SP 0.492 K/ft3
 WS 16810 ft/s
 WC 7234 ft/s

FS — BN 3452
 10 SL 1610/ 3440/ 2

PJ:
 PN: HOPBAR

TG F2 -- US
 A2 F2 3.3


JC 0.40
 FM 1.00
 UM 1.00

EA/C 30.3 Ks/ft
 UN KIPS*0.1
 FR 20000 MB 90

DL -42
 UT -1 IP 0.00
 PK 1 TM-PEAK

F1 500
 F2 213
 A1 999
 A2 1060

TS 12 B PD: 11852-060 LP 0.00 ft
 TB 8.0 T1 9.4 2L/C 4.7 UA 1000 UE 1024 LI 1.0



ACCEPT SQ-OFF FL-OFF PR-OFF

UMX= 4.4 FMX= 67 AMX= 129
 EMX= 0.3 MEX= 131 FVP= 1.00

ACCEPT



ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 11852

CALIBRATION FACTOR: 1060 %/V

PAK (*5000): DATE: 31 MAY 18

PDA OPERATOR: [Signature]

<-AT:PIEZORESISTIVE

OP: Iaine Iver:5.011

AT:PIEZOELECTRIC->