


QBTA: ON [ALT-F1/BB=60]

File Dynamics, Inc.

DPF

File Dynamics 24-Jan-05 06:26	FS — 10	BN 921 SL 2592/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3				
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s								
JC 0.40 FM 1.00 UM 1.00								
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30								
DL -45 UT -1 PK 1 TM-PEAK								
F1 500 F2 213 A1 999 A2 1010								
TS 12 TB 7.0					B PD: 13416 T1 9.2 2L/C 4.7	VA 1000	UE 1022	LP 0.00 ft LI 1.0

 <p>contact Pile Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916</p>	<p>VMX= 3.7 FMX= 57 AMX= 120 EMX= 0.2 MEX= 111 FVP= 1.00</p>
	<p>ACCELEROMETER CALIBRATION N.I.S.T. Traceable SERIAL NUMBER: 13416 CALIBRATION FACTOR: 1010 8/V PAK (*5088): DATE: 24 Jan 05 PDA OPERATOR: <i>[Signature]</i></p>

<-AT:PIEZORESISTIVE

OP: DAVE [ver:4.05]

AT:PIEZOELECTRIC->