

QBTA: ON [ALT-F1/BB=60]

File Dynamics, Inc.

DPF

<b>File Dynamics</b> 08-Nov-05 17:02 LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s  JC 0.40 FM 1.00 UM 1.00  EA/C 30.3 Ks/ft UN KIERS*0.1 FR 20000 MB 30 DL -43 UT -1 PK 1 TM-PEAK  F1 500 F2 213 A1 999 A2 1023	FS — BN 2316 10 SL 2714/ 3440/ 2 PJ: PN: HOPBAR  TG F2 -- US A2 F2 3.3   TS 12 E B PD: 15999-60 LP 0.00 ft TB 7.0 T1 9.4 2L/C 4.7 VA 1000 UE 1022 LI 1.0
---	--

ACCEPT SQ-OFF FL-OFF PR-OFF  
 VMX= 3.6 FMX= 56 AMX= 110  
 EMX= 0.2 MEX= 109 FVP= 0.99



contact File Dynamics USA  
 with your questions  
 tel USA - 216 - 831- 6131  
 fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable  
 SERIAL NUMBER: 15999  
 CALIBRATION FACTOR: 1023 G/Y  
 PAK ~~(#5000)~~ DATE: 8 Nov. 05  
 PDA OPERATOR: *[Signature]*

<-AT:PIEZORESISTIVE

OP: FRED [ver:4.05]

AT:PIEZOELECTRIC->