

QBTA: ON [ALT-F1/BB=60]

File Dynamics, Inc.

DPF

File Dynamics 22-Sep-05 09:58 LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s JC 0.40 FM 1.00 UM 1.00 EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30 DL -45 UT -1 PK 1 TM-PEAK F1 500 F2 213 A1 999 A2 1010	FS — BN 294 10 SL 2494/ 3440/ 99 PJ: PN: HOPBAR TG F2 -- US A2 F2 3.3 TS 12 E B PD: 16009-060 LP 0.00 ft TB 7.0 T1 9.4 2L/C 4.7 VA 1000 VE 1022 LI 1.0
---	--

ACCEL SQ-OFF FL-OFF PR-OFF contact File Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916	VMX= 5.0 FMX= 77 AMX= 159 EMX= 0.4 MEX= 150 FVP= 1.01 ACCELEROMETER CALIBRATION N.I.S.T. Traceable SERIAL NUMBER: <u>16009</u> CALIBRATION FACTOR: <u>1010 G/V</u> RAK (3000): _____ DATE: <u>22-Sep-05</u> PDA OPERATOR: <u>Fred Hair</u>
---	---

<-AT:PIEZORESISTIVE

OP: FRED Iver:4.051

AT:PIEZOELECTRIC->