

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 15-Nov-05 12:40	FS — 10	BN 419 SL 2496/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3		
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s						
JC 0.40 FM 1.00 UM 1.00						
EA/C 30.3 Ks/ft UN KIPSx0.1 FR 20000 MB 30						
DL -23 UT -1 PK 1 TM-PEAK						
F1 500 F2 213 A1 999 A2 1035						
TS 12 TB 8.0					E B PD: 16182-060 T1 9.6 2L/C 4.7 VA 1000 UE 1022	LP 0.00 ft LI 1.0

ACCEPT SQ-OFF FL-OFF PR-OFF	VMX= 5.0 FMX= 78 AMX= 249 EMX= 0.4 MEX= 152 FVP= 0.98
<p>contact Pile Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916</p>	ACCELEROMETER CALIBRATION N.I.S.T. Traceable
	SERIAL NUMBER: 16182
	CALIBRATION FACTOR: 1035 G/V
	DATE: 15-Nov-05
	PAK (*5000): _____ PDA OPERATOR: Fred Iver
<-AT:PIEZORESISTIVE	OP: fred Iver:4.051
	AT:PIEZOELECTRIC->