

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 03-Apr-14 08:34	FS — 10	BN 52 SL 128/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3			
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s							
JC 0.40 FM 1.00 UM 1.00							
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30							
DL -41 UT -1 PK 1 TM-PEAK							
F1 500 F2 213 A1 999 A2 1190							
TS 12 TB 8.0					B PD: 47462-075 T1 9.4	2L/C 4.7 UA 1000	LP 0.00 ft LI 1.0

<p>contact Pile Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916</p>	<p>UMX= 4.1 FMX= 65 AMX= 129 EMX= 0.3 MEX= 127 FUP= 1.02</p>
	<p>ACCELEROMETER CALIBRATION N.I.S.T. Traceable</p> <p>SERIAL NUMBER: 47462</p> <p>CALIBRATION FACTOR: 1190 G/v</p> <p>PAK (*3000): _____ DATE: 3-Apr-14</p> <p>PDA OPERATOR: <i>Erik S. J.</i></p>
<p><-AT:PIEZORESISTIVE</p>	<p>OP: erik [ver:4.05] AT:PIEZOELECTRIC-></p>