

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics	FS —	BN 278	3256	2978	PJ:	TG F2	-- US
17-Mar-14 09:37	10	SL	692/	3440/198	PN: HOPBAR	A2 F2	3.3


LE 39.6 ft  
 AR 1.7 in2  
 EM 30000 Ksi  
 SP 0.492 K/ft3  
 WS 16810 ft/s  
 WC 16862 ft/s

JC 0.40  
 FM 1.00  
 UM 1.00

EA/C 30.3 Ks/ft  
 UN KIPS=0.1  
 FR 20000 MB 30

DL -37  
 UT -1  
 PK 1 TM-PEAK

F1 500  
 F2 213  
 A1 999  
 A2 1130



TS 12 B PD: 47569-075 LP 2.00 ft  
 TB 8.0 T1 9.4 2L/C 4.7 UA 1000 VE 1022 LI 1.0

ACCEPT	SQ-OFF	FL-OFF	PR-OFF	VMX= 4.0	FMX= 62	AMX= 129
				EMX= 0.2	MEX= 121	FVP= 1.00



contact Pile Dynamics USA  
 with your questions  
 tel USA - 216 - 831- 6131  
 fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable  
 SERIAL NUMBER: 47569  
 CALIBRATION FACTOR: 1130 G/v  
 PAK (\*5000): DATE: 17-March-14  
 PDA OPERATOR: Erik S. [Signature]

<-AT:PIEZORESISTIVE

OP: erik [ver:4.05]

AT:PIEZOELECTRIC->

PIT-X Wireless Accelerometer Serial Number 30002-ee