

QETA: ON TALT-F1/BB=601

Pile Dynamics, Inc.

DPF

File Dynamics	FS —	BN 4400	PJ:	TG F2	-- US
02-May-15 07:25	10	SL 1785/ 3440/ 99	PN: HOPBAR	A2 F2	3.3


LE 39.6 ft
 AR 1.7 in2
 EM 30000 Ksi
 SP 0.492 K/ft3
 WS 16810 ft/s
 WC 16862 ft/s

JC 0.40
 FM 1.00
 VM 1.00

EA/C 30.3 Ks/ft
 UN KIPS*0.1
 FR 20000 MB 30

DL -40
 UT -1
 PK 1 TM-PEAK

F1 500
 F2 213
 A1 999
 A2 1155



TS 12 B PD: 47613-075 LP 0.00 ft
 TB 8.0 T1 9.6 2L/C 4.7 UA 1000 UE 1022 LI 1.0

UMX= 4.3 FMX= 66 AMX= 139
 EMX= 0.3 MEX= 129 FVP= 1.00

ACCEPT SQ-OFF FL-OFF PR-OFF



contact Pile Dynamics USA
 with your questions
 tel USA - 216 - 831- 6131
 fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 47613

CALIBRATION FACTOR: 1155 g/v

PAK (*5000): DATE: 22 MAY 15

PDA OPERATOR: *[Signature]*

<-AT:PIEZORESISTIVE

OP: Iaine Iver:4.051

AT:PIEZOELECTRIC->