

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 31-Mar-16 23:05	FS — 10	BN 535 SL 521/ 3440/ 99	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3		
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 MS 16810 ft/s WC 16862 ft/s						
JC 0.40 FM 1.00 UM 1.00						
EA/C 30.3 Ks/ft UN KIPSx0.1 FR 20000 MB 30						
DL -38 UT -1 PK 1 TM-PEAK						
F1 500 F2 213 A1 999 A2 935						
TS 12 TB 8.0					B PD: 54662-b75 T1 9.5 2L/C 4.7 VA 1000 VE 1022	LP 0.00 ft LI 1.0

ACCEPT SQ-OFF FL-OFF PR-OFF	UMX= 4.4 FMX= 69 AMX= 139
	EMX= 0.3 MEX= 135 FVP= 1.01
<p>contact Pile Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916</p>	ACCELEROMETER CALIBRATION N.I.S.T. Traceable
	SERIAL NUMBER: 54662
	CALIBRATION FACTOR: 935 %
	PAK (*5000): DATE: 6 APR 16
	PDA OPERATOR: <i>[Signature]</i>

<-AT:PIEZORESISTIVE

OP: laine [ver:4.05]

AT:PIEZOELECTRIC->