

QBTA: ON [ALT-F1/BB=60]

File Dynamics, Inc.

DPF

File Dynamics 17-Jul-13 11:23	FS — 10	BN 841 SL 143/ 3440/ 99	PJ: sn PN: HOPBAR	TG F2 — US A2 F2 3.3
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s				
JC 0.40 FM 1.00 UM 1.00				
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30				
DL -46 UT 0 PK 1 TM-PEAK				
F1 500 F2 213 A1 999 A2 1300				
TS 12 B PD: 9499-026 LP 0.00 ft TB 8.0 T1 8.9 2L/C 4.7 UA 1000 UE 1022 LI 1.0				

<p>contact File Dynamics USA with your questions tel USA - 216 - 831- 6131 fax USA - 216 - 831- 0916</p>	<p>ACCEPT SQ-OFF FL-OFF PR-OFF</p> <p>UMX= 3.8 FMX= 61 AMX= 90 EMX= 0.3 MEX= 119 FUP= 0.99</p>
	<p>ACCELEROMETER CALIBRATION N.I.S.T. Traceable</p> <p>SERIAL NUMBER: 9499</p> <p>CALIBRATION FACTOR: 1300 G/v</p> <p>PAK (*5888): DATE: 17-JULY-13</p>
	<p>PDA OPERATOR: <i>[Signature]</i></p> <p>OP: alex [ver:4.051] PIEZOELECTRIC</p>

<-AT:PIEZORESISTIVE

PIEZOELECTRIC->