

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

Pile Dynamics  
27-Jul-15 06:48  
LE 39.6 ft  
AR 1.7 in2  
EM 30000 Ksi  
SP 0.492 K/ft3  
WS 16810 ft/s  
WC 16862 ft/s

FS — BN 3059  
10 SL 1466/ 3440/ 99

PJ: PN: HOPBAR


TG F2 -- US  
A2 F2 3.3

JC 0.40  
FM 1.00  
UM 1.00

EA/C 30.3 Ks/ft  
UN KIERSO.1  
FR 20000 MB 30

DL -40  
UT -1  
PK 1 TM-PEAK

F1 500  
F2 213  
A1 999  
A2 1020



TS 12 B PD: 10857-060 LP 0.00 ft  
TB 8.0 T1 9.6 2L/C 4.7 VA 1000 VE 1022 LI 1.0

ACCEPT SQ-OFF FL-OFF PR-OFF

UMX= 4.4 FMX= 67 AMX= 129  
EMX= 0.3 MEX= 131 FUP= 1.00



contact Pile Dynamics USA  
with your questions  
tel USA - 216 - 831- 6131  
fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable  
SERIAL NUMBER: 10857  
CALIBRATION FACTOR: 1020%  
PAK (\*5000): DATE: 30 JULY 15  
PDA OPERATOR: M. W. W.

<-AT:PIEZORESISTIVE

OP: Iaine Iver:4.051

AT:PIEZOELECTRIC->