

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics	FS —	BN 380	PJ:	TG F2 -- US
22-Apr-04 15:31	10	SL 2539/ 3440/ 99	PN: HOPBAR	A2 F2 3.3


LE 39.6 ft
 AR 1.7 in2
 EM 30000 Ksi
 SP 0.492 K/ft3
 WS 16810 ft/s
 WC 16862 ft/s

JC 0.40
 FM 1.00
 VM 1.00

EA/C 30.3 Ks/ft
 UN 31PS30-1
 FR 20000 MB 30

DL -41
 UT -1
 PK 1 TM-PEAK

F1 500
 F2 213
 A1 999
 A2 1005



TS 12 E B PD: 11037 LP 0.00 ft
 TB 8.0 T1 9.6 2L/C 4.7 UA 1000 UE 1024 LI 1.0

UMX= 4.4 FMX= 68 AMX= 149
 EMX= 0.3 MEX= 133 FUP= 1.01

ACCEL SQ-OFF FL-OFF PR-OFF



contact Pile Dynamics USA
 with your questions
 tel USA - 216 - 831- 6131
 fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable

SERIAL NUMBER: 11037

CALIBRATION FACTOR: 1005 GIV

PAK < *5000 > : DATE: 22-Apr-04

PDA OPERATOR: Fred Iver

<-AT:PIEZORESISTIVE

OP: fred Iver:4.051

AT:PIEZOELECTRIC->